



## FH30

HAND PALLET TRUCK

## SPECIFICATIONS

CHARACTERISTIC	1.1	MANUFACTURER			FEELER UK
	1.2	MODEL			FH30
	1.3	OPERATOR TYPE			HAND
	1.4	RATED CAPACITY	Q (t)	KG	3000
	1.5	LOAD CENTRE	c	mm	600
	1.6	LOAD DISTANCE	x	mm	970 <sup>(1)</sup>
	1.7	WHEELBASE	y	mm	1185 <sup>(1)</sup>
WEIGHT	2.1	SERVICE WEIGHT		KG	105
	2.2	AXLE LOAD (EMPTY) (DRIVE/CASTOR/FORK WHEEL)		KG	489/1050
	2.3	AXLE LOAD (FULL) (DRIVE/CASTOR/FORK WHEEL)		KG	26/13
WHEELS	3.1	WHEEL MATERIAL			PU
	3.2	FRONT WHEEL SIZE (DRIVE WHEEL)			175x60
	3.3	REAR WHEEL SIZE (SUPPORT WHEEL)			85x75
	3.4	NUMBER OF WHEELS (FRONT/REAR)			2/4
	3.5	REAR TRACK WIDTH	b <sub>10</sub>	mm	340
	3.6	FRONT TRACK WIDTH	b <sub>11</sub>	mm	132
DIMENSIONS	4.1	LIFT	h <sub>3</sub>	mm	115
	4.2	LIFT HEIGHT	h <sub>23</sub>	mm	200
	4.3	TILLER HEIGHT	h <sub>14</sub>	mm	1220
	4.4	LOWERED HEIGHT	h <sub>13</sub>	mm	85
	4.5	OVERALL LENGTH	l <sub>1</sub>	mm	1510
	4.6	LENGTH (TO FACE OF FORKS)	l <sub>2</sub>	mm	365
	4.7	OVERALL WIDTH	b <sub>1</sub> /b <sub>2</sub>	mm	520 <sup>(2)</sup>
	4.8	FORK DIMENSIONS (H/W/L)		mm	45/175/1150 <sup>(3)</sup>
	4.9	WIDTH OVER FORKS	b <sub>5</sub>	mm	520/685 <sup>(2)</sup>
	4.10	GROUND CLEARANCE	m <sub>2</sub>	mm	40
	4.11	AISLE WIDTH FOR PALLETS (ACROSS)	A <sub>st</sub>	mm	1540 <sup>(1)</sup>
	4.12	AISLE WIDTH FOR PALLETS (LENGTH)	A <sub>st</sub>	mm	1740 <sup>(1)</sup>
	4.13	TURNING RADIUS	W <sub>s</sub>	mm	1385 <sup>(1)</sup>

(1) DISTANCE WITH FORKS RAISED

(2) OTHER WIDTHS AVAILABLE ON REQUEST

(3) OTHER FORK LENGTH AVAILABLE: 1220mm (OTHER FORK LENGTHS ON REQUEST)

ALL DATA IS BASED ON TABLE CONFIGURATION.

OTHER CONFIGURATIONS MAY GIVE OTHER VALUES.

TRUCK PERFORMANCE AND DIMENSIONS ARE NOMINAL AND SUBJECT TO TOLERANCES.

FEELER UK PRODUCTS AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

DIMENSIONS

